

RECEIVED
CENTRAL FAX CENTER
APR 17 2006

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE (801) 533-9800
FAX (801) 328-1707

TELECOPIER COVER SHEET

April 17, 2006

Total Number of Pages
(including cover letter):

15

Please deliver the transmitted facsimile pages to:

EXAMINER JOHN J. WILSON
ART UNIT #3732

Business Phone (571) 272-4722

Telecopier Phone: (571) 273-8300

From: RICK D. NYDEGGER/aam

Comments: Please see attached.

Serial No. 10/749,059

Docket No. 7678.815

We are transmitting from a Sharp FO-750 or Sharp FO-6100 facsimile machine. If you do not receive all the pages or they are unreadable, please contact me as soon as possible at (801) 533-9800.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

W:\7678\815\AAM0000000483V001.doc

FILED VIA FACSIMILE

PATENT APPLICATION

Docket: 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**RECEIVED
CENTRAL FAX CENTER****APR 17 2006**

In re application of

Robert R. Scott

Serial No.:

10/749,059

Filed:

December 30, 2003

Confirmation No.:

1212

For:

DENTAL CURING DEVICE HAVING A HEAT
SINK FOR DISSIPATING HEAT

Examiner:

John J. Wilson

) Art Unit
) 3732CERTIFICATE OF FACSIMILE TRANSMISSION

Mail Stop AMENDMENTS
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

I hereby certify that this paper is being transmitted via facsimile at facsimile number (801) 328-1707 to the Patent and Trademark Office to phone no. (571) 273-8300 (Formal Fax No.) on the date shown below:

- Transmittal Letter (2 pages)
- Response to Non-Compliant Amendment "B" (11 pages)

Dated this 17th of April, 2006.

Respectfully submitted,



RICK D. NYDEGGER
Attorney for Applicant
Registration No. 28,651
Customer No. 022913

AAM0000001006V001

APR 17 2006

RICK D. NYDEGGER
BRENT P. LOHRER
THOMAS R. VUOSTINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYNN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVEKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADAM J. LEE
FRASER D. RUTY
CARL T. REED

WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: [H'ttp://www.wnlaw.com](http://www.wnlaw.com)

FILED VIA FACSIMILE

PATENT APPLICATION
Docket No. 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Robert R. Scott

Serial No.

10/749,059

Filed:

December 30, 2003

Confirmation No.:

1212

For:

DENTAL CURING DEVICE HAVING A HEAT SINK FOR DISSIPATING HEAT

Examiner:

John J. Wilson

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an amendment for entry in the above-identified application.

X No additional fee is required.

R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.
WILLIAM R. RICHTER
ROBERT E. ATCOCK
JENS C. JØRGENSEN
MICHAEL B. DODD
BRETT A. HANSEN
BRETT L. JOHNSON
KEVIN W. STINGER
RICH D. BENSON
SARA D. JONES
TIGHE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDSHAM
MICHAEL J. FRODSHAM
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON B. DUKE
RYAN N. FAIR
JAMES B. BELSEY
KIRK R. HARRIS
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNIS, PH.D.
SCOTT A. WOODBURY
JOHN T. GADD
MARK W. FORD
ARON M. SMITH

VERNON R. FUCHS,
OF COUNSEL.

* Admitted only in California
§ Admitted only in Virginia

The fee has been calculated as follows.

			SMALL ENTITY		LARGE ENTITY	
CLAIMS REMAINING AFTER	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADD'T'L FEE	RATE	ADD'T'L FEE
Total = 14	22	=	X		X	0.00
Independent = 2	3	=	x		X	0.00
1 st PRESENTATION OF MULTIPLE DEPENDENT CLAIM			+=		+	
			TOTAL		TOTAL	0.00

X The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178.


X Any filing fees under 37 CFR 1.16 for the presentation of extra claims.

X Any patent application processing fees under 37 CFR 1.17.

X Any fees for filing a terminal disclaimer under 37 CFR §§ 1.321(c) and 1.20(d).

Dated this 17th day of April, 2006.

Respectfully submitted,


 RICK D. NYDEGGER
 Registration No. 28,651
 Attorneys for Applicant
 Customer No. 022913

RDN:am
 AAM0000001005V001

APR 17 2006

FILED VIA FACSIMILE

PATENT APPLICATION
Docket No. 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)
	Robert R. Scott)
Serial No.:	10/749,059) Art Unit
Filed:	December 30, 2003) 3732
Conf. No.:	1212)
For:	DENTAL CURING DEVICE HAVING A HEAT)
	HEAT SINK FOR DISSIPATING HEAT)
Examiner:	John J. Wilson)
Customer No.:	022913)

RESPONSE TO NON-COMPLIANT AMENDMENT "B" AND RCE

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office action of January 9, 2006, and the Notice of Non-Compliant Amendment dated April 10, 2006, please enter the following replacement amendment

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper. The parenthetical designation has been corrected in claims 4-11, 14, and 16 of this version of Amendment B, as requested in the Non-Compliant Notice. The rest of the paper is the same as originally filed.

Remarks/Arguments begin on page 7 of this paper.